

 Snyder

Weatherspan Ultra


MANUFACTURING, INC.

Premium Outdoor Fabric


- Unparalleled UV Resistance
- Mold & Mildew Resistant
- Printable
- Versatile




Red #013B



L. Maroon #064



Merlot #215




Chocolate #229



Dark Indigo #248



Slate #228



Ash #227



White #010



Lapis #246



Cobalt #247



Ivy #128



Green #245



Royal Purple #206




Orange #012



Linen #170



Yellow #011



**USA MADE &
MANUFACTURED**



Black #020

Address - PO Box 188, 3001 Progress St, Dover, OH 44622 | Web - snyderman.com
Phone - (330) 343-4456 | Fax - (330) 343-7396 | Email - sales@snyderman.com





Weatherspan Ultra

Weatherspan Ultra is Snyder Manufacturing's ultimate versatile outdoor fabric.

MANUFACTURING, INC.

Product Information

Weatherspan Ultra features increased UV Resistance to outlast other products.

This product can be digitally printed & screen printed, accepting solvent based inks or paints.

Width 61"

Dull Emboss

Weight 18 oz/square yard

Roll size 50 yds

Custom colors available



**Passes California State Fire Marshall Title 19
NFPA-701 2015 (Large Scale)
ASTM E-84-81A Flame Spread Rating Class A**


Terms and Conditions of Sale

- 1. Acceptance of Terms and Conditions:** Sales by Seller of its products ("Products") are expressly limited to the terms and conditions contained herein. Any additional or contrary terms and conditions of sale contained in any form of Buyer are rejected.
- 2. Prices and Deliveries:** Prices are subject to change without notice. Price quotations are subject to change without prior notice. All shipments are made F.O.B. Seller's plant, unless otherwise stated in writing by Seller. "On-time" means the date promised by Seller but subject to supply and production schedules and interruptions. Seller's shipping quantity standard is +10% -5%.
- 3. Warranties:** Seller warrants that Products delivered will meet seller's specifications for each Product at the time of sale. Specifications for Products change from time to time. The most current specifications for each Product are available upon request. Buyer's remedies are limited to the repair or replacement of such Product or the return of the purchase price, at Seller's option. Before any warranty claim will be honored, Seller must be given an opportunity to inspect Product in question. No product should be returned to Seller without Seller's prior written consent.
SELLER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO PRODUCTS OR THE USE OF THE PRODUCTS OR THE PERFORMANCE OF THE PRODUCTS. SELLER SPECIFICALLY MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SELLER NEITHER ASSUMES, NOR AUTHORIZES ANY PERSON TO ASSUME FOR IT, ANY WARRANTY NOT SPECIFICALLY PROVIDED HEREIN. SELLER WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL OR INCIDENTAL DAMAGES ARISING DIRECTLY OR INDIRECTLY AS A RESULT OF THE SALE OF PRODUCTS, A BREACH OF THE WARRANTY PROVIDED HEREIN OR ANY USE OR MISUSE OF PRODUCTS.
- 4. Governing Law and Forum:** This agreement shall be governed by and construed in accordance with the laws of the State of Ohio but disregarding conflicts of law, and all disputes resolved by the state and federal courts of Summit County, Ohio and/or arbitration procedures as set forth in the local Rules of Court for those courts. Buyer submits itself to that exclusive jurisdiction.
- 5. Roll Length:** Roll lengths indicated are nominal and may vary. Each roll may contain up to three pieces. No piece will be shorter than seven yards.
- 6. Custom Colors:** Custom colors are available with a minimum order quantity.
- 7. Phthalate-Free:** Many Snyder Manufacturing, Inc. high-quality products are available with Safe-Gard™ Technology, a proprietary process ensuring the product to be Phthalate-free and lead-free. Additionally, Phthalate-free and lead-free certification is maintained from suppliers. Snyder Manufacturing recommends storing Snyder Phthalate-Free Products in a dedicated Phthalate-free zone to ensure product integrity and quality. For more information please call (800) 837-4450.
Special Handling Instructions: Keep away from anything containing Phthalate, which may leach into and contaminate Snyder Phthalate-Free Products.

Do not bring Snyder Phthalate-Free Products in contact with Phthalate containing materials.

Address: 3001 Progress St, PO Box 188, Dover, OH 44622 - Phone: (330) 343-4456 - Email: sales@snyderman.com

Snyder Manufacturing is an American manufacturer of laminated fabrics, coated mesh and extruded films serving commercial, industrial and military markets.



"Advanced Materials Engineered Solutions"™


MANUFACTURING, INC.

"Innovating the Future"™


Snyder Manufacturing is a United States manufacturer of premier quality laminated fabrics, coated mesh and extruded films. We deliver on-time, high-quality solutions for extensive applications, across numerous industries to commercial, industrial and governmental customers.

Snyder Structural Fabrics High Performance Flame Retardant


WeatherSpan™ 13 oz.*



PermaBar™ 12 oz.*




Permanent Laminate Stripe
Available in these colors.
Minimum order quantity.




*Printed colors on card are sometimes not an exact match of vinyl or laminated fabrics but a close simulation.

WeatherSpan™ 16 oz. White




WeatherSpan™ 16 oz. White (Blackout)




WeatherSpan™ 16 oz. White (Blackout) 4 ply



WeatherSpan™ PRV1218K 12 oz.




WeatherSpan™ 16 oz. White (Semi Blackout)




WeatherSpan™ 18 oz. White (Blackout)



WeatherSpan™ 500 13 oz. White (Blackout)



KlearSpan™ 14 oz. Transparent (Reinforced)



Item # 144-KFR-LR6-GP

www.snyderman.com • E-mail: sales@snyderman.com
3001 Progress Street • P.O. Box 188 • Dover, Ohio 44622

TOLL: 800-837-4450 • TEL. LOCAL: 330-343-4456 • FAX TOLL: 800-767-8070 • FAX LOCAL: 330-343-7396



Snyder Structural Fabrics

High Performance Flame Retardant

HIGH PERFORMANCE

- Abrasion resistant
- Heat sealable
- Mildew resistant
- Flame retardant without after treatment
- Flame Certifications available (CSFM, NFPA-701)
- High tensile strength
- High tear strength
- UV resistant
- Weather resistant

APPLICATIONS

- Tents
- Tension structures
- Awnings
- Industrial warehouses

SNYDER R&D CENTER OF EXCELLENCE

Snyder Manufacturing delivers high-quality, custom engineered solutions. Gain a competitive advantage with advanced materials designed to meet custom application needs.

Industries Served:

- Aerospace
- Agriculture
- Athletic
- Automotive
- Commercial
- Construction
- Energy
- Government
- Healthcare
- Industrial

- Marine
- Military
- Safety / Protective
- Sign media
- Structures

Engineered Solutions:

- R&D Consulting
- Custom product design
- Custom color matching
- Military specifications
- Certifications

TYPICAL PROPERTIES

	WeatherSpan™	WeatherSpan™	WeatherSpan™	WeatherSpan™	WeatherSpan™
Weight	13 oz.	16 oz.	16 oz.	16 oz.	18 oz.
Width	61"	61"	61"	61"	61"
Roll Size	75 Yards	75 Yards	75 Yards	75 Yards	Min. Run 525 Yards
Construction	Vinyl Laminated	Vinyl Laminated	Vinyl Laminated	Vinyl Laminated	Vinyl Laminated
Yarn	Polyester	Polyester	Polyester	Polyester	Polyester
Count	9 x 9	9 x 9	9 x 9	9 x 9	13 x 13 Woven
Denier	1,000	1,000	1,000	1,000	1,000
Colors	Beige, Dark Blue, Kelly Green, Red, Yellow, White	White	White (Blackout) Available in 4 ply and 5 ply	White (Semi Blackout)	White (Blackout)
Finish	High Gloss	High Gloss	High Gloss	High Gloss	Gloss
Item Number	1310Q	1610QWH61HGP	1610RBWH61HGP	1610RSBWH61HGP	1813WBWH61GP
	WeatherSpan™ PRV1218K	WeatherSpan™ 500	KlearSpan™	PermaBar™	PermaBar™ Wide
Weight	12 oz.	13 oz.	14 oz.	12 oz.	13 oz.
Width	61"	61"	61"	61"	61"
Roll Size	100 Yards	75 Yards	100 Yards	50 Yards (Min. run 500 yards)	75 Yards (Min. run 525 yards)
Construction	Vinyl Laminated	Vinyl Laminated	Vinyl Laminated	Vinyl Laminated 4" Stripe	Vinyl Laminated 30" Stripe
Yarn	Polyester	Polyester	Polyester	Polyester	Polyester
Count	18 x 9	9 x 9	4.5 x 4.5	18 x 9	9 x 9
Denier	220 x 500	500	1,000	220 x 500	1,000
Colors	White	White (Blackout)	Transparent Reinforced Also available in 12 oz. Transparent.	4" Laminated Stripe: Dark Blue & White, Kelly Green & White, Red & White, Yellow & White	30" Laminated Stripe: Dark Blue & White, Kelly Green & White, Red & White, Yellow & White
Finish	Gloss	Gloss	Gloss	Matte	High Gloss
Item Number	1218KSWH61GPP	1310JBWH61GP	1444KFRCLR61GP	1218K	1310Q

All values are nominal.

TERMS AND CONDITIONS OF SALE

- 1. Acceptance of Terms and Conditions:** Sales by Seller of its products ("Products") are expressly limited to the terms and conditions contained herein. Any additional or contrary terms and conditions of sale contained in any form of Buyer are rejected.
- 2. Prices and Deliveries:** Prices are subject to change without notice. Price quotations are subject to change without prior notice. All shipments are made F.O.B. Seller's plant, unless otherwise stated in writing by Seller. "On-time" means the date promised by Seller but subject to supply and production schedules and interruptions. Seller's shipping quantity standard is +10% -5%.
- 3. Warranties:** Seller warrants that Products delivered will meet seller's specifications for each Product at the time of sale. Specifications for Products change from time to time. The most current specifications for each Product are available upon request. Buyer's remedies are limited to the repair or replacement of such Product or the return of the purchase price, at Seller's option. Before any warranty claim will be honored, Seller must be given an opportunity to inspect Product in question. No product should be returned to Seller without Seller's prior written consent.
SELLER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO PRODUCTS OR THE USE OF THE PRODUCTS OR THE PERFORMANCE OF THE PRODUCTS. SELLER SPECIFICALLY MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SELLER NEITHER ASSUMES, NOR AUTHORIZES ANY PERSON TO ASSUME FOR IT, ANY WARRANTY NOT SPECIFICALLY PROVIDED HEREIN. SELLER WILL NOT BE LIABLE FOR ANY CONSEQUENTIAL, SPECIAL OR INCIDENTAL DAMAGES ARISING DIRECTLY OR INDIRECTLY AS A RESULT OF THE SALE OF PRODUCTS, A BREACH OF THE WARRANTY PROVIDED HEREIN OR ANY USE OR MISUSE OF PRODUCTS.
- 4. Governing Law and Forum:** This agreement shall be governed by and construed in accordance with the laws of the State of Ohio but disregarding conflicts of law, and all disputes resolved by the state and federal courts of Summit County, Ohio and/or arbitration procedures as set forth in the local Rules of Court for those courts. Buyer submits itself to that exclusive jurisdiction.
- 5. Roll Length:** Roll lengths indicated are nominal and may vary. Each roll may contain up to three pieces. No piece will be shorter than seven yards.
- 6. Phthalate-Free:** Many Snyder Manufacturing, Inc. high-quality products are available with Safe-Gard™ Technology, a proprietary process ensuring the product to be Phthalate-free and lead-free. Additionally, Phthalate-free and lead-free certification is maintained from suppliers. Snyder Manufacturing recommends storing Snyder Phthalate-Free Products in a dedicated Phthalate-free zone to ensure product integrity and quality. For more information please call (800) 837-4450.

Special Handling Instructions: Keep away from anything containing Phthalate, which may leach into and contaminate Snyder Phthalate-Free Products.